





CE 91 000


KATALOG TEKNIK





Improving your comfort with smart solutions


www.everest.al


91101 25101, 25101 	Kase Frame		
	Pesha Weight	kg/m	1,578
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³


91110 25101, 25108, 25101 	Kase Frame		
	Pesha Weight	kg/m	2,536
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³


91102 25102, 25101 	Kase Frame		
	Pesha Weight	kg/m	1,792
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³

91111 25102, 25108, 25101 	Kase Frame		
	Pesha Weight	kg/m	2,753
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³


91103 25103, 25101 	Kase Frame		
	Pesha Weight	kg/m	2.089
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³


91201 25201, 25202 	Kanat Sash		
	Pesha Weight	kg/m	1,417
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³


91104 25101, 25104 	Kase Frame		
	Pesha Weight	kg/m	1.870
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³


91202 25201, 25201 	Kanat Sash		
	Pesha Weight	kg/m	1.516
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³


91105 25101, 25105, 25101 	Kase Frame		
	Pesha Weight	kg/m	2.529
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³


91203 25203, 25202 	Fermo vetro Glass keeper		
	Pesha Weight	kg/m	1,789
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³


91106 25102, 25104 	Kase Frame		
	Pesha Weight	kg/m	2.086
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³


91204 25203, 25201 	Kanat Sash		
	Pesha Weight	kg/m	1.888
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³


91107 25103, 25104 	Kase Frame		
	Pesha Weight	kg/m	2.380
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³

91205 25201, 25204 	Kanat Sash		
	Pesha Weight	kg/m	1.492
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³

91108 25101, 25105, 25104 	Kase Frame		
	Pesha Weight	kg/m	2.823
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³


91206 25204, 25204 	Kanat Sash		
	Pesha Weight	kg/m	1.468
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³


91109 25106, 25107 	Kase Frame		
	Pesha Weight	kg/m	1.530
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³

91302 25301, 25302 	Taf Sash		
	Pesha Weight	kg/m	1.676
	Jx	18,35 cm ⁴	Wx 5,02 cm ³
	Jy	5,35 cm ⁴	Wy 1,65 cm ³


91502 25502, 25502		Bini Sash closing adapter
		Pesha kg/m 0,690 Weight


10481		Fermo vetro Glass keeper
		Pesha kg/m 0,189 Weight

10482		Fermo vetro Glass keeper
		Pesha kg/m 0,429 Weight

91121		Fashature per dyshemem Floor cover
		Pesha kg/m 0,282 Weight

92606		Profil Mbylles Closing Profile
		Pesha kg/m 2.790 Weight




92607		Profil perforcues Reinforcement Profile
		Pesha kg/m 0.526 Weight

6100-A		Profil rrjete insektesh Insect nets profile
		Pesha kg/m 0.692 Weight
		Jx 18,35 cm ¹ Wx 5,02 cm ³
		Jy 5,35 cm ¹ Wy 1,65 cm ³

5019		Fashature per dyshemem Floor cover
		Pesha kg/m 0,282 Weight




4304		Profil rrjete insektesh Insect nets profile
		Pesha kg/m 0,283 Weight

91501		Ganxhe ere Air closing adapter
		Pesha kg/m 0,230 Weight



Çdo gje e paraqitur ne kete katalog eshte prone e EVEREST, mbajtes i te gjitha te drejtave ekskluzive.
As shown in this catalog is the property of EVEREST, the holder of all exclusive rights


"Profili sh-1:1"




Çdo gjë e paraqitur ne kete katalog eshte prone e EVEREST, mbajtes i te gjitha te drejtave ekskluzive.
As shown in this catalog is the property of EVEREST, the holder of all exclusive rights

"Profili sh-1:1"


91107
kg/m 2,380



91108
kg/m 2,823




91110
kg/m 2.536




Çdo gje e paraqitur ne kete katalog eshte prone e EVEREST, mbajtes i te gjitha te drejtave ekskluzive.
As shown in this catalog is the property of EVEREST, the holder of all exclusive rights


91111
kg/m 2,753




91302
kg/m 1.676




91109
kg/m 1.714




10491
kg/m 0,189




91501
kg/m 0,230



10482
kg/m 0,429




91502
kg/m 0,690




Çdo gje e paraqitur ne kete katalog eshte prone e EVEREST, mbajtes i te gjitha te drejtave ekskluzive.
As shown in this catalog is the property of EVEREST, the holder of all exclusive rights


91201
kg/m 1,417




91202
kg/m 1,516







91203
kg/m 1,789



91204
kg/m 1,888




Çdo gje e paraqitur ne kete katalog eshte prone e EVEREST, mbajtes i te gjitha te drejtave ekskluzive.
As shown in this catalog is the property of EVEREST, the holder of all exclusive rights




Çdo gje e paraqitur ne kete katalog eshte prone e EVEREST, mbajtes i te gjitha te drejtave ekskluzive.
As shown in this catalog is the property of EVEREST, the holder of all exclusive rights

"Profili sh-1:1"


6100-A
Kg/m 0.692




5019
Kg/m 0.283




4304
Kg/m 0.283



91121
kg/m 0,282





Çdo gje e paraqitur ne kete katalog eshte prone e EVEREST, mbajtes i te gjitha te drejtave ekskluzive.
As shown in this catalog is the property of EVEREST, the holder of all exclusive rights




Prerjet e Profilat / Profile Cuttin		
Seria CE 91 000 / Series CE 91 000		
Gjeresi kase Frame guide width	2 cope/pc L	
Lartesi kase Frame guide height	2 cope/pc H	
Gjeresi kanati Sash width	2 cope/pc L/2+3	
Lartesi kanati Sash height	2 cope/pc H-74	
Lartesi ganxhe ere Air closing profile height	1 cope/pc H-74	
Lartesi ganxhe ere Air closing profile height	1 cope/pc H-74	
Lartesi ganxhe ere Air closing profile height	1 cope/pc H-96	
Lartesi izolues termik i ganxhes se eres Air closing insulation profile height	2 cope/pc H-74	
Gjeresi pikaqi kanati Glazing bead sash width	2 cope/pc L/2- 121	
Lartesi pikaqi kanati Glazing bead sash height	2 cope/pc H-242	
Gjeresi pikaqi fikse Glazing bead fixed width	2 cope/pc L/2- 46,2	
Lartesi pikaqi fikse Glazing bead fixed height	2 cope/pc H-90	
Profili udhezues Inox guide	1 cope/pc L-93	
Gjeresi xhami kanati Glazing sash width	Lg sash = L/2-132	
Lartesi xhami kanati Glazing sash height	Hg sash = H-207	
Gjeresi xhami fikse Glazing fixed width	Lg fixed = L/2-58	
Lartesi xhami fikse Glazing fixed height	Hg fixed = H-58	
(Measures in mm) (Formulat ne mm)		

SECTION - A









SECTION - A





SECTION - B








Prerjet e Profil / Profile Cuttin		
Seria CE 91 000 / Series CE 91 000		
Gjeresi kase Frame guide width	2 cope/pc L	
Lartesi kase Frame guide height	2 cope/pc H	
Gjeresi kanati Sash width	4 cope/pc L/2+3	
Lartesi kanati Sash height	4 cope/pc H-74	
Lartesi ganxhe ere Air closing profile height	4 cope/pc H-74	
Gjeresi pikaqi Glazing bead width	4 cope/pc L/2- 121	
Lartesi pikaqi Glazing bead height	4 cope/pc H-242	
Profil udhezues Inox guide	2 cope/pc L-93	
Gjeresi xhami Glazing width	$L_g = L/2-132$	
Lartesi xhami Glazing height	$H_g = H-207$	
(Measures in mm) (Formulat ne mm)		

SECTION - A








SECTION - C





SECTION - D




Prerjet e Profilut / Profile Cuttin		
Seria CE 91 000 / Series CE 91 000		
Gjeresi kase Frame guide width	2 cope/pc L	
Lartesi kase Frame guide height	2 cope/pc H	
Gjeresi kanati Sash width	4 cope/pc L/3+ 28.6	
Lartesi kanati Sash height	6 cope/pc H-74	
Lartesi ganxhe ere Air closing profile height	6 cope/pc H-74	
Gjeresi pikaqi Glazing bead width	6 cope/pc L/3- 95	
Lartesi pikaqi Glazing bead height	4 cope/pc H-242	
Profili udhezues Inox guide	3 cope/pc L-93	
Gjeresi xhami Glazing width	$L_g = L/3 - 106$	
Lartesi xhami Glazing height	$H_g = H - 207$	
	(Measures in mm) (Formulat ne mm)	






SECTION - A



SECTION - B





Technical drawing of a double window unit showing cross-sections and dimensions. The drawing includes labels for various components and their dimensions in millimeters.


Labels:

- 91101
- EVE10617
- R126NB
- S060SS
- 91201
- 10481
- L407EP
- 1020/1/2/3/4/5/6
- 91201
- 10481


Dimensions:

- Top width: 77, 26,29, 24,09, 26,43
- Top height: 37, 18, 94
- Bottom height: 83,79
- Bottom width: 4, 16, 30, 4, 38







SECTION - A













SECTION - B







SECTION - C




Aksesoret / Accessory cuttings			
Kodi i aksesorit / Code Nr	Aksesori / Accessory	Pershkrimi / Description	Sasi / Quantity
3070		Doreze Handle	
6397.1		Doreze Handle	
6495.1		Doreze Handle	
6380		6380 L=210mm 1 closing points	
6381		6381 L=600mm 2 closing points	
6382		6382 L=1000mm 1 closing points	
6384		6384 L=1800mm 3 closing points	
6390A.20		Kit for A6380	
6391A.20		Kit for A6381	
6392A.20		Kit for A6382	
6394A.20		Kit for A6384	
PP6620Z.96	100 KG  Kit +Rrul per kanat deri ne 100 kg Kit+Sash Corner Join 100 kg		
PP6620X.92	180 KG  Kit +Rrul per kanat deri ne 180 kg Kit+Sash Corner Join 180 kg		

Aksesoret / Accessory cuttings			
Kodi i aksesorit / Code Nr	Aksesori / Accessory	Pershkrimi / Description	Sasi / Quantity
PS1425.63	180 KG   Kit +Rrul per kanat deri ne 180 kg (Per perdorim ne bregdet) Kit+Sash Corner Join 180 kg (For seaside use)		
PS1000/L		PS1001/L L=400mm 2 closing points	
PS1001/L		PS1001/L L=600mm 2 closing points	
PS1002/L		PS1002/L L=1000mm 3 closing points	
S060SS		Gone Kanati Sash Corner Joints	
EVE10617		Ulluk izolues PVC PVC for frame guides	
EVE10717		Izolues termik i anxhes se eres (H-74) Air closing insulation profile height	
L407EP		Gomine e Jashtme Xhami Exterior glass rubber	
1020/1/2/ 3/4/5/6		Gomine e Brendshme Xhami 03/04/05/06/07/08/10 Interior Glas Rubber	
R126NB		Furce Brush	
EV504		Profil inoksi per termikun rreshqites	
EVE10617		Ulluk izolues PVC PVC for frame guides	
EVE10717		Izolues termik i anxhes se eres Air closing insulation profile height	


Aksesoret / Accessory cuttings			
Kodi i aksesorit / Code Nr	Aksesori / Accessory	Pershkrimi / Description	Sasi / Quantity
PS1425.63	180 KG		
			
		Kit +Rrul per kanat deri ne 180 kg (Per perdorim ne bregdet)	
		Kit+Sash Corner Join 180 kg (For seaside use)	
PS1000/L		PS1001/L L=400mm 2 closing points	
PS1001/L		PS1001/L L=600mm 2 closing points	
PS1002/L		PS1002/L L=1000mm 3 closing points	


Aksesoret / Accessory cuttings			
Kodi i aksesorit / Code Nr	Aksesori / Accessory	Pershkrimi / Description	Sasi / Quantity
E100848		Gomine spesorimi tek fiksja	
SF91000		Sfungjer izolues	
EV506		Profil inoksi per termikun rreshqites Stainless steel cover	
EVE10618		Ulluku	
DO57AB+AW		Doreze Handle	
DO62AW		Doreze Handle	
DO63AW		Doreze Handle	
R162AS		Mekanizmi	

Aksesoret / Accessory cuttings			
Kodi i aksesorit / Code Nr	Aksesori / Accessory	Pershkrimi / Description	Sasi / Quantity
A3072 (R9010) White		Doreze Handle	
A3072 (R9010).11 White		Doreze Handle	
A3072 NEOPA.11 BLACK		Doreze Handle	
A3072 NEOPA BLACK		Doreze Handle	
A3072 ARGEN.11 grey		Doreze Handle	
A3072 ARGEN grey		Doreze Handle	










The technical drawing illustrates the construction details of a door assembly. The side view (top) shows a door leaf with a width of 82 units and a height of 88 units. It features a vertical edge profile with a thickness of 12 units. The door is mounted on a frame with a total width of 56 units, divided into two equal sections of 28 units each. The top view (bottom) shows a rectangular door leaf with a length of 145 units and a width of 82 units. It includes three circular components, likely hinges or bolts, with diameters of $\varnothing 10.4$ and $\varnothing 17.5$. The distance between the centers of the outer two circles is 21.5 units, and the distance from the center of the middle circle to the right edge is also 21.5 units. The overall width of the door assembly is 56 units.

Machining for
6824





ACCESSORI PER SERRAMENTI


Disegnato	4	-----	-----	-----
	3	-----	-----	-----
	2	-----	-----	-----
	1	-----	-----	-----
Controllato	Rev.	Modifica effettuata	Data	Firma

Codice	Descrizione	Scala	
6824	Cover plug	1.000	

PROPRIETA' RISERVATA A TERMINE DI LEGGE



 ACCESSORI PER SERRAMENTI		Disegnato	4	-----	-----	-----
		-----	3	-----	-----	-----
		Controllato	2	-----	-----	-----
			1	-----	-----	-----
		-----	Rev.	Modifica effettuata		Data
ART	Descrizione Description				Scala	
3070	"COMFORT" Martellina sporgenza quadro 24mm "COMFORT" Handle with 24mm square lenght				1:1	
PROPRIETA' RISERVATA A TERMINE DI LEGGE						



Fast Block suitable with european cylinder
6385 L=1800mm 3 closing points

Closing kit
6394A.20 Kit for A6385

Handle for primary sash
3070 - Single
3070.10 - Double

Embedded handle for secondary sash
A6397.1



ACCESSORI PER SERRAMENTI





Disegnato	4	-----	-----	-----
	3	-----	-----	-----
Controllato	2	-----	-----	-----
	1	-----	-----	-----
Rev.	-----	Modifica effettuata	Data	Firma

Codice	Descrizione	Scala	
6397.1	"FAST LOCK" Embedded handle for secondary sash	1.000	



6835.22


Block with center seal and brush | L = 38mm



Disegnato	4	-----	-----	-----
	3	-----	-----	-----
	2	-----	-----	-----
	1	-----	-----	-----
Controllato	Rev.	Modifica effettuata	Data	Firma

Codice	Descrizione	Scala
6835.22	Block with center seal and brush L = 38mm	1.000

PROPRIETA' RISERVATA A TERMINE DI LEGGE



ACCESSORI PER SERRAMENTI

Disegnato	4	-----	-----	-----
	3	-----	-----	-----
Controllato	2	-----	-----	-----
	1	-----	-----	-----
Rev.	-----	Modifica effettuata	Data	Firma

Codice

6495.1

Descrizione

"FAST LOCK" Reduced handle



Scala


1.000




PROPRIETA' RISERVATA A TERMINE DI LEGGE

2145 - Drainage plug
6841.1 - Drainage cap








 ACCESSORI PER SERRAMENTI	Disegnato	4	-----	-----	-----	
	-----	3	-----	-----	-----	
	Controllato	2	-----	-----	-----	
		1	-----	-----	-----	
	-----	Rev.	Modifica effettuata		Data	Firma
Codice 2145	Descrizione Drainage plug				Scala 1.000	
PROPRIETA' RISERVATA A TERMINE DI LEGGE						








 ACCESSORI PER SERRAMENTI	Disegnato	4	-----	-----	-----	
	-----	3	-----	-----	-----	
	Controllato	2	-----	-----	-----	
		1	-----	-----	-----	
	-----	Rev.	Modifica effettuata		Data	Firma
<u>Codice</u> 6841.1	<u>Descrizione</u> Ø6 drainage bush				<u>Scala</u> 1.000	
PROPRIETA' RISERVATA A TERMINE DI LEGGE						




 ACCESSORI PER SERRAMENTI		<u>Disegnato</u>	4	-----	-----	-----
		-----	3	-----	-----	-----
		<u>Controllato</u>	2	-----	-----	-----
		-----	1	-----	-----	-----
		-----	Rev.	Modifica effettuata		Data
<u>Codice</u>	<u>Descrizione</u>				<u>Scala</u>	
2183	Alignment corner joint				1.000	
PROPRIETA' RISERVATA A TERMINE DI LEGGE						








 ACCESSORI PER SERRAMENTI	<u>Disegnato</u>	4	-----	-----	-----	
	-----	3	-----	-----	-----	
	<u>Controllato</u>	2	-----	-----	-----	
		1	-----	-----	-----	
	-----	Rev.	Modifica effettuata		Data	Firma
<u>Codice</u>	<u>Descrizione</u>				<u>Scala</u>	
6667.1	Adjustable balanced double roller load 50Kg (100Kg for sash)				1.000	
PROPRIETA' RISERVATA A TERMINE DI LEGGE						








 ACCESSORI PER SERRAMENTI	Disegnato	4	-----	-----	-----	
	-----	3	-----	-----	-----	
	Controllato	2	-----	-----	-----	
		1	-----	-----	-----	
	-----	Rev.	Modifica effettuata		Data	Firma
<u>Codice</u>	<u>Descrizione</u>				<u>Scala</u>	
6481.2	"INNER KIT" Closing kit for INNER and INNER CLICK				1.000	
PROPRIETA' RISERVATA A TERMINE DI LEGGE						






 ACCESSORI PER SERRAMENTI	Disegnato	4	-----	-----	-----	
	-----	3	-----	-----	-----	
	Controllato	2	-----	-----	-----	
		1	-----	-----	-----	
	-----	Rev.	Modifica effettuata		Data	Firma
<u>Codice</u> 6814	<u>Descrizione</u> Safety shock absorbing block				<u>Scala</u> 1.000	
PROPRIETA' RISERVATA A TERMINE DI LEGGE						



 ACCESSORI PER SERRAMENTI	Disegnato	4	-----	-----	-----	
		3	-----	-----	-----	
	Controllato	2	-----	-----	-----	
		1	-----	-----	-----	
	-----	Rev.	Modifica effettuata		Data	Firma
	<u>Codice</u>	<u>Descrizione</u>				<u>Scala</u>
0364	Die cast aluminium corner joint 20.5x10.3mm				1.000	
PROPRIETA' RISERVATA A TERMINE DI LEGGE						



 ACCESSORI PER SERRAMENTI		Disegnato	4	-----	-----	-----	
		-----	3	-----	-----	-----	
		Controllato	2	-----	-----	-----	
		-----	1	-----	-----	-----	
		-----	Rev.	Modifica effettuata		Data	Firma
Codice	Descrizione					Scala	
0301	Corner with internal clasping					1.000	
PROPRIETA' RISERVATA A TERMINE DI LEGGE							



Basic hardware for sliding windows 2 sash WxH 1500 x 1400 mm.
1 closing point with Inner click

					Unit Price
1		PP6620Z.96	ASSEMBLY KIT - WEIGHT 100Kg.	1 Kit	
2		6452.1	"INNER CLICK" handle	2 pcs	
3		6481.2	"INNER CLICK" Closing kit	2 pcs	
4		6844.1	"VIPER" DOOR BUMPER FOR SLIDING	2 pcs	
5		6580	Cylinder security lock	1pcs	

Basic hardware for sliding windows 2 sash WxH 2000 x 2200 mm.
1 closin point with INNERCLICK

					Unit Price
1		PP6620X.92	ASSEMBLY KIT - WEIGTH 180Kg.	1 Kit	
3		6495.11	"INNER CLICK" pull handle	1pcs	
4		6452.1	"INNER CLICK" handle	2 pcs	
5		6481.2	"INNER CLICK" Closing kit	2 pcs	
6		6844.1	"VIPER" DOOR BUMPER FOR SLIDING	2 pcs	

Basic hardware for sliding windows 2 sash WxH 2000 x 2200 mm.
1 closing point with Fast Lock

					Unit Price
1		PP6620X.92	ASSEMBLY KIT - WEIGHT 180Kg.	1 Kit	
2		3070	Comfort Handle	1 pcs	
3		6495.12	Fastlock external pull handle	1 pcs	
4		6398.1	Fast lock embedded handle with 7 mm pin for secondary sash	1 pcs	
5		6380	Fastlock L=210mm 1 closing point	2 pcs	
6		6380A.84	Kit for A6380	2 pcs	
7		6844.1	"VIPER" DOOR BUMPER FOR SLIDING	2 pcs	

Basic hardware for sliding windows 2 sash WxH 2000 x 2200 mm.
2 closing points with Fast Lock

					Unit Price
1		PP6620X.92	ASSEMBLY KIT - WEIGHT 180Kg.	1 Kit	
2		3070	Comfort Handle	1 pcs	
3		6495.12	Fastlock external pull handle	1 pcs	
4		6398.1	Fast lock embedded handle with 7 mm pin for secondary sash	1 pcs	
5		6382	Fastlock L=1.000 mm 2 closing points	2 pcs	
6		6382A.84	Kit for A6382	2 pcs	
7		6844.1	"VIPER" DOOR BUMPER FOR SLIDING	2 pcs	

Basic hardware for sliding windows 2 sash WxH 2000 x 2200 mm.
3 closing points with Fast Lock

					Unit Price
1		PP6620X.92	ASSEMBLY KIT - WEIGHT 180Kg.	1 Kit	
2		3070	Comfort Handle	1 pcs	
3		6495.12	Fastlock external pull handle	1 pcs	
4		6398.1	Fast lock embedded handle with 7 mm pin for secondary sash	1 pcs	
5		6384	Fastlock L=1.800 mm 3 closing points	2 pcs	
6		6384A.84	Kit for A6384	2 pcs	
7		6844.1	"VIPER" DOOR BUMPER FOR SLIDING	2 pcs	

Basic hardware for sliding windows 2 sash WxH 2000 x 2200 mm.
3 closing points with Fast Block

					Unit Price
1		PP6620X.92	ASSEMBLY KIT - WEIGHT 180Kg.	1 Kit	
2		3070.10	Comfort Double Handle	1 pcs	
3		3070	Comfort Handle	1 pcs	
4		6385	Fast Block L=1800mm 3 closing points suitable with european cylinder	1 pcs	
5		6384	Fastlock L=1.800 mm 3 closing points	1 pcs	
6		6384A.84	Kit for A6384	2 pcs	
7		6844.1	"VIPER" DOOR BUMPER FOR SLIDING	2 pcs	
8		2129.5	Cylinder cover	2 pcs	