




# CE 94 000

KATALOG TEKNIK




Improving your comfort with smart solutions

[www.everest.al](http://www.everest.al)

### 94102

kg/m 2.192


Jx cm<sup>4</sup>  
Wx cm<sup>3</sup>  
Jy cm<sup>4</sup>  
Wy cm<sup>3</sup>



### 94103

kg/m 1.826


Jx 200.52 cm<sup>4</sup>  
Wx 16.79 cm<sup>3</sup>  
Jy 19.83 cm<sup>4</sup>  
Wy 1.82 cm<sup>3</sup>



### 94601

kg/m 0.490


Jx 10.73 cm<sup>4</sup>  
Wx 4.26 cm<sup>3</sup>  
Jy 8.71 cm<sup>4</sup>  
Wy 2.40 cm<sup>3</sup>



### 94104

kg/m 3.486


Jx cm<sup>4</sup>  
Wx cm<sup>3</sup>  
Jy cm<sup>4</sup>  
Wy cm<sup>3</sup>



### 94201

kg/m 1.581


Jx 37.71 cm<sup>4</sup>  
Wx 4.40 cm<sup>3</sup>  
Jy 46.83 cm<sup>4</sup>  
Wy 3.96 cm<sup>3</sup>



### 10401

kg/m 0.185


Jx cm<sup>4</sup>  
Wx cm<sup>3</sup>  
Jy cm<sup>4</sup>  
Wy cm<sup>3</sup>



### 10402

kg/m 0.195


Jx cm<sup>4</sup>  
Wx cm<sup>3</sup>  
Jy cm<sup>4</sup>  
Wy cm<sup>3</sup>



### 94501

kg/m 0.404


Jx cm<sup>4</sup>  
Wx cm<sup>3</sup>  
Jy cm<sup>4</sup>  
Wy cm<sup>3</sup>



### 10403

kg/m 0.213


Jx cm<sup>4</sup>  
Wx cm<sup>3</sup>  
Jy cm<sup>4</sup>  
Wy cm<sup>3</sup>



### 91121

kg/m 0.282


Jx 2.01 cm<sup>4</sup>  
Wx 0.34 cm<sup>3</sup>  
Jy 0.49 cm<sup>4</sup>  
Wy 0.05 cm<sup>3</sup>




### 10404


kg/m 0.253

Jx cm<sup>4</sup>  
Wx cm<sup>3</sup>  
Jy cm<sup>4</sup>  
Wy cm<sup>3</sup>






**94102**  
kg/m 2.192



**94103**  
kg/m 1.826

| Profillet<br>Section | Skuadreta te jashtme<br>Corner joint for external hollow | Skuadreta te brendshme<br>Corner joint for internal hollow |         | Lamaqe<br>Alignment corner joint for rabbet | Fuji   |
|----------------------|----------------------------------------------------------|------------------------------------------------------------|---------|---------------------------------------------|--------|
| 94102                | S063AS                                                   | S063AS                                                     | S063ASF | ----                                        | ----   |
| 94103                | S068ASF                                                  | S060AS                                                     | S060ASF | ----                                        | S106AS |


Çdo gje e paraqitur ne kete katalog eshte prone e EVEREST, mbajtes i te gjitha te drejtave ekskluzive.  
As shown in this catalog is the property of EVEREST, the holder of all exclusive rights



**94104**  
kg/m 3.486

| Profillet<br>Section | Skuadreta te jashtme<br>Corner joint for external hollow | Skuadreta te brendshme<br>Corner joint for internal hollow |         | Lamaqe<br>Alignment corner joint for rabbet | Fuji |
|----------------------|----------------------------------------------------------|------------------------------------------------------------|---------|---------------------------------------------|------|
| 94104                | S063AS                                                   | S063AS                                                     | S063ASF | ----                                        | ---- |
|                      |                                                          |                                                            |         |                                             |      |

Çdo gje e paraqitur ne kete katalog eshte prone e EVEREST, mbajtes i te gjitha te drejtave ekskluzive.  
As shown in this catalog is the property of EVEREST, the holder of all exlusive rights




**94201**  
kg/m 1.581




**94501**  
kg/m 0.404

**94601**  
kg/m 0.490



**10401**  
kg/m 0.185




| Profillet<br>Section | Skuadreta te jashtme<br>Corner joint for external hollow | Skuadreta te brendshme<br>Corner joint for internal hollow | Lamaqe<br>Alignment corner joint for rabbet | Fuji   |
|----------------------|----------------------------------------------------------|------------------------------------------------------------|---------------------------------------------|--------|
| 94201                | -----                                                    | S068AS S068ASF                                             | R118PB1                                     | S106AS |

Çdo gje e paraqitur ne kete katalog eshte prone e EVEREST, mbajtes i te gjitha te drejtave ekskluzive.  
As shown in this catalog is the property of EVEREST, the holder of all exclusive rights


**10402**

kg/m 0.195




**10403**

kg/m 0.213




**10404**


kg/m 0.253




**91121**

kg/m 0.282






| Guarnicione te brendshme<br>Internal weatherstrips                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |    | <div>Guarnicion i jashtem<br/>Internal weatherstrips<br/>L407EP</div> <div></div> <div>mm</div> | Kodet e pikaqeve<br>Glass beading code | Kodet e pikaqeve te rrumbullaketa<br>Round glass beading | Dimensionet e pikaqeve<br>Glass beading size<br>(f) | Dimensionet neto<br>Net size<br>(v) |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|----------------------------------------------------------|-----------------------------------------------------|-------------------------------------|
| 1020                                                                                | 1021E                                                                               | 1022E                                                                               | 1023E                                                                               | 1024                                                                                | 1025                                                                                | 1026                                                                                |    |                                                                                                                                                                                     |                                        |                                                          |                                                     |                                     |
|  |  |  |  |  |  |  |    |                                                                                                                                                                                     |                                        |                                                          |                                                     |                                     |
| 3 mm                                                                                | 4 mm                                                                                | 5 mm                                                                                | 6 mm                                                                                | 7 mm                                                                                | 8 mm                                                                                | 10 mm                                                                               |    |                                                                                                                                                                                     |                                        |                                                          |                                                     |                                     |
| Spesoret e xhamave mm<br>Glass thickness mm                                         |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |    |                                                                                                                                                                                     |                                        |                                                          |                                                     |                                     |
|                                                                                     | 36                                                                                  | 35                                                                                  | 34                                                                                  | 33                                                                                  | 32                                                                                  | 31                                                                                  | 29 | 3                                                                                                                                                                                   | 10401                                  |                                                          | 3                                                   | 42                                  |
|                                                                                     | 33                                                                                  | 32                                                                                  | 31                                                                                  | 30                                                                                  | 29                                                                                  | 28                                                                                  | 26 | 3                                                                                                                                                                                   | 10402                                  |                                                          | 6                                                   | 39                                  |
|                                                                                     | 28                                                                                  | 27                                                                                  | 26                                                                                  | 25                                                                                  | 24                                                                                  | 23                                                                                  | 21 | 3                                                                                                                                                                                   | 10403                                  |                                                          | 11                                                  | 34                                  |
|                                                                                     | 25                                                                                  | 24                                                                                  | 23                                                                                  | 22                                                                                  | 21                                                                                  | 20                                                                                  | 18 | 3                                                                                                                                                                                   | 10404                                  |                                                          | 14                                                  | 31                                  |
|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |    |                                                                                                                                                                                     |                                        |                                                          |                                                     |                                     |




## " Nyje dhe Seksione "







Section F




Section G







Section I




Section J




Section K




| Aksesoret / Accessory cuttings |                                                                                     |                                                          |                 |
|--------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------|
| Kodi i aksesorit / Code Nr     | Aksesori / Accessory                                                                | Pershkrimi / Description                                 | Sasi / Quantity |
| S068AS<br>Alternative          |    | Gone me buton<br>Corner joints                           | 4+4 cope/pc     |
| S068ASF                        |    | Gone fikse<br>Fixed corner joints                        | 4+4 cope/pc     |
| S060AS<br>Alternative          |    | Gone fikse<br>Fixed corner joints                        | 4 cope/pc       |
| S060ASF                        |    | Gone fikse<br>Fixed corner joints                        | 4 cope/pc       |
| S106AS                         |    | Lamaqe fuji<br>Fuji corner joints                        | 12 cope/pc      |
| R118PB1                        |    | Gone fikse pvc<br>Pvc Fixed corner joints                | 12 cope/pc      |
| S107AS                         |    | Kavallote<br>Ti joint                                    | 2 cope/pc       |
| EVE10717                       |   | Izolues ganxhe PVC<br>PVC for weathering profile         | 2 cope/pc H-80  |
| PS380                          |  | Kit izolues<br>Weather isolation Kit                     | 1 cope/pc       |
| L407EP                         |  | Gomine e jashtme xhami<br>Exterior glass rubber          |                 |
| 1020-1025<br>3mm- 8mm          |  | Gomine e brendshme xhami<br>Exterior glass rubber        |                 |
| L463EP                         |  | Gomine kanati<br>Exterior glass rubber                   |                 |
| E100212/E                      |  | Gomine mbyllese e kases<br>Guide cover                   |                 |
| L443EP                         |  | Gomine suporti e kases<br>Guide cover                    |                 |
| R126NB                         |  | Qeleshe per kasen<br>Brush for frame guide               |                 |
| E100894                        |  | Gomina e fashos se eres<br>Gasket for weathering profile |                 |
|                                |                                                                                     |                                                          |                 |

| Aksesoret / Accessory cuttings |                                                                                   |                                                      |                 |
|--------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------|-----------------|
| Kodi i aksesorit / Code Nr     | Aksesori / Accessory                                                              | Pershkrimi / Description                             | Sasi / Quantity |
| AL 10661                       |  | Guide Alumini<br>Aluminum guide                      |                 |
| Alternative                    |                                                                                   |                                                      |                 |
| IN 10661                       |  | Guide inoksi<br>Stainless steel guide                |                 |
| E100848                        |  | Gomine spesorimi tek fiksja<br>Rubber for fixed      |                 |
| R9, SV9                        |  | Valvula e uijt<br>Water Valve                        |                 |
| H210N(W/B)                     |  | Tapa e uijt<br>Cover drain cap                       |                 |
| 1029                           |  | tako xhami plastike 6 mm<br>glass plastic spacer 6mm |                 |
|                                |                                                                                   |                                                      |                 |




Section A



HA= H-72mm

HG= HA-134mm


Section B



Prerjet e Profil / Profile Cuttin


Seria CE 92 000 / Series CE 92 000

|                                                   |                                      |  |
|---------------------------------------------------|--------------------------------------|--|
| Gjeresi kase<br>Frame guide width                 | 2 cope/pc L                          |  |
| Lartesi kase<br>Frame guide height                | 2 cope/pc H                          |  |
| Gjeresi kanati<br>Sash width                      | 2cope/pc L/2 + 2                     |  |
| Lartesi kanati<br>Sash height                     | 2 cope/pc H-72                       |  |
| Lartesi ganxhe ere<br>Air closing profile height  | 2 cope/pc H-72                       |  |
| Gjeresi pikaqi kanati<br>Glazing bead sash width  | 2 cope/pc L/2 + 120.5                |  |
| Lartesi pikaqi kanati<br>Glazing bead sash height | 2 cope/pc H - 238.4                  |  |
| Profili udhezues<br>Inox guide                    | 1 cope/pc L-90                       |  |
| Pikore<br>Rain keeper profile                     | 1 cope/pc L-43                       |  |
| Gjeresi xhami kanati<br>Glazing sash width        | LG = KN-134.4                        |  |
| Lartesi xhami kanati<br>Glazing sash height       | HG = KN-134.4                        |  |
|                                                   | (Formulat ne mm)<br>(Measures in mm) |  |




### Section C

S063AS  
S063ASF




### Section E

S068AS  
S068ASF




### Section D



S063AS  
S063ASF



| Aksesoret / Accessory cuttings |                                                                                     |                                                          |                 |
|--------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------|
| Kodi i aksesorit / Code Nr     | Aksesori / Accessory                                                                | Pershkrimi / Description                                 | Sasi / Quantity |
| S063AS<br>Alternative          |    | Gone me buton<br>Corner joints                           | 8 cope/pc       |
| S063ASF                        |    | Gone fikse<br>Fixed corner joints                        | 8 cope/pc       |
| S068AS<br>Alternative          |    | Gone fikse<br>Fixed corner joints                        | 8 cope/pc       |
| S068ASF                        |    | Gone fikse<br>Fixed corner joints                        | 8 cope/pc       |
| S106AS                         |    | Lamaqe fuji<br>Fuji corner joints                        | 24 cope/pc      |
| R118PB1                        |    | Gone fikse pvc<br>Pvc Fixed corner joints                | 24 cope/pc      |
|                                |                                                                                     |                                                          |                 |
| EVE10717                       |   | Izolues ganxhe PVC<br>PVC for weathering profile         | 2 cope/pc H-80  |
| PS380                          |  | Kit izolues<br>Weather isolation Kit                     | 1 cope/pc       |
| L407EP                         |  | Gomine e jashtme xhami<br>Exterior glass rubber          |                 |
| 1020-1025<br>3mm- 8mm          |  | Gomine e brendshme xhami<br>Exterior glass rubber        |                 |
| L463EP                         |  | Gomine kanati<br>Exterior glass rubber                   |                 |
| E100212/E                      |  | Gomine mbyllesë e kases<br>Guide cover                   |                 |
| L443EP                         |  | Gomine suporti e kases<br>Guide cover                    |                 |
| R126NB                         |  | Qeleshe per kasen<br>Brush for frame guide               |                 |
| E100894                        |  | Gomina e fashos se eres<br>Gasket for weathering profile |                 |
|                                |                                                                                     |                                                          |                 |

| Aksesoret / Accessory cuttings |                                                                                   |                                                      |                 |
|--------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------|-----------------|
| Kodi i aksesorit / Code Nr     | Aksesori / Accessory                                                              | Pershkrimi / Description                             | Sasi / Quantity |
| AL 10661                       |  | Guide Alumini<br>Aluminum guide                      |                 |
| Alternative                    |                                                                                   |                                                      |                 |
| IN 10661                       |  | Guide inoksi<br>Stainless steel guide                |                 |
| E100848                        |  | Gomine spesorimi tek fiksja<br>Rubber for fixed      |                 |
| R9, SV9                        |  | Valvula e uijt<br>Water Valve                        |                 |
| H210N(W/B)                     |  | Tapa e uijt<br>Cover drain cap                       |                 |
| 1029                           |  | tako xhami plastike 6 mm<br>glass plastic spacer 6mm |                 |
|                                |                                                                                   |                                                      |                 |







Prerjet e Profilat / Profile Cuttin

Seria CE 92 000 / Series CE 92 000


|                                                   |                                      |  |
|---------------------------------------------------|--------------------------------------|--|
| Gjeresi kase<br>Frame guide width                 | 2 cope/pc L                          |  |
| Lartesi kase<br>Frame guide height                | 2 cope/pc H                          |  |
| Gjeresi kanati<br>Sash width                      | 2 cope/pc $L/3 + 27.5$               |  |
| Lartesi kanati<br>Sash height                     | 2 cope/pc H-72                       |  |
| Lartesi ganxhe ere<br>Air closing profile height  | 2 cope/pc H-72                       |  |
| Gjeresi pikaqi kanati<br>Glazing bead sash width  | 2 cope/pc $L/3 + 94.8$               |  |
| Lartesi pikaqi kanati<br>Glazing bead sash height | 2 cope/pc H-238.4                    |  |
| Profili udhezues<br>Inox guide                    | 1 cope/pc L-90                       |  |
| Pikore<br>Rain keeper profile                     | 1 cope/pc L-43                       |  |
| Gjeresi xhami kanati<br>Glazing sash width        | LG = KN-134.4                        |  |
| Lartesi xhami kanati<br>Glazing sash height       | HG = KN-134.4                        |  |
|                                                   | (Formulat ne mm)<br>(Measures in mm) |  |

Section D








Section D1



Section E




Kapitulli 4 - f. 012  
Ed. 08 - Aug. 2022

Section B




| Aksesoret / Accessory cuttings |                                                                                     |                                                          |                 |
|--------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------|
| Kodi i aksesorit / Code Nr     | Aksesori / Accessory                                                                | Pershkrimi / Description                                 | Sasi / Quantity |
| S063AS<br>Alternative          |    | Gone me buton<br>Corner joints                           | 12 cope/pc      |
| S063ASF                        |    | Gone fikse<br>Fixed corner joints                        | 12 cope/pc      |
| S068AS<br>Alternative          |    | Gone fikse<br>Fixed corner joints                        | 12 cope/pc      |
| S068ASF                        |    | Gone fikse<br>Fixed corner joints                        | 12 cope/pc      |
| S106AS                         |    | Lamaqe fuji<br>Fuji corner joints                        | 36 cope/pc      |
| R118PB1                        |    | Gone fikse pvc<br>Pvc Fixed corner joints                | 36 cope/pc      |
|                                |                                                                                     |                                                          |                 |
| EVE10717                       |   | Izolues ganxhe PVC<br>PVC for weathering profile         | 4 cope/pc H-80  |
| PS380                          |  | Kit izolues<br>Weather isolation Kit                     | 2 cope/pc       |
| L407EP                         |  | Gomine e jashtme xhami<br>Exterior glass rubber          |                 |
| 1020-1025<br>3mm- 8mm          |  | Gomine e brendshme xhami<br>Exterior glass rubber        |                 |
| L463EP                         |  | Gomine kanati<br>Exterior glass rubber                   |                 |
| E100212/E                      |  | Gomine mbyllesë e kases<br>Guide cover                   |                 |
| L443EP                         |  | Gomine suporti e kases<br>Guide cover                    |                 |
| R126NB                         |  | Qeleshe per kasen<br>Brush for frame guide               |                 |
| E100894                        |  | Gomina e fashos se eres<br>Gasket for weathering profile |                 |
|                                |                                                                                     |                                                          |                 |


| Aksesoret / Accessory cuttings |                                                                                   |                                                      |                 |
|--------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------|-----------------|
| Kodi i aksesorit / Code Nr     | Aksesori / Accessory                                                              | Pershkrimi / Description                             | Sasi / Quantity |
| AL 10661                       |  | Guide Alumini<br>Aluminum guide                      |                 |
| Alternative<br>IN 10661        |  | Guide inoksi<br>Stainless steel guide                |                 |
| E100848                        |  | Gomine spesorimi tek fiksja<br>Rubber for fixed      |                 |
| R9, SV9                        |  | Valvula e uijt<br>Water Valve                        |                 |
| H210N(W/B)                     |  | Tapa e uijt<br>Cover drain cap                       |                 |
| 1029                           |  | tako xhami plastike 6 mm<br>glass plastic spacer 6mm |                 |
|                                |                                                                                   |                                                      |                 |

Shpimet e skuadretave te kases

1




Shpimet e skuadretave te kases




"Punimet e Sistemit

Shpimet e skuadretave te kases

1




Kapitulli 5 - f. 003  
Ed. 08 - Aug. 2022




"Punimet e Sistemit






Shpimet e skuadretave te kanatit



Shpimi i tapes se ganxhes





## Shpimet e shkarkimeve të ujit




# "Punimet e Sistemit

Shpimit e kases per Tabin



"Punimet e Sistemit

Shpimet per profilin mbylles te kases



## Shpimet e dorezes

